MINERAL SURVEY No. 2626

	Arizona	Land District.
	FIELD NO	OTES
0	OF THE SURVEY OF THE M	IINING CLAIM OF
Фел	ngo Cold Nimine de	
	ago atoro Mining Coa	
	KNOWN AS T	HE
Tar	ngo. Good Hope, and	Della lodes.
San	Francisco	Mining District,
N	ohave, County, .	Arizona
s 13 and 24	, Township 20	N., , Range 21 W. G. and S.
veyed under i	instructions dated Sep	ot. 11 - , 19 19
	<i>bu</i> E	dward L. Haff
	<i>by</i> E	dward L. Haff U. S. Mineral Surveyor.
Claim loca		U. S. Mineral Surveyor.
	ted see location n	U. S. Mineral Surveyor.
Survey con	nmenced Sept. 24	U. S. Mineral Surveyor.
Survey con	nmenced Sept. 24	U. S. Mineral Surveyor.
Survey con Survey com Address of	nmenced Sept. 24	U. S. Mineral Surveyor. notices. 18 , 19

TANGO lode

Beginning at Cor. No. 1

Identical with S.E. Cor. Denver City lode, unsurveyed claimant unknown.

and the state of t

A redwood post 4 ft. long 4 ins. sq., with a nail at corner point, set 18 ins. in the ground with mound of earth and stone; scribed T.1-3626. Whence:-

The \(\frac{1}{4}\) Cor. between sections 13 and 24 T. 20 N., R. 21 W. G & S.R. M. bears N.72°15' E. 382.11 ft.

Thence S. 0°34 T.W.

10. Bed of dry gulch 6 ft. wide, runs easterly. -

140. Cor. No.1 Good Hope lode of this survey.

512;48 To East end center .

A redwood post 4 ft. long 4 ins. sq. with a nail at Cen. point, set 18 ins in the ground with mound of earth and stone, scribed E. E. C. TANGO 3626

442. West end center Good Hope lode of this survey.

624.96 To Cor. No. 2

On line 4-1 Good Hope lode, of this survey.

A redwood post 4 ft. long 4 ins. sq. with a nail at Corpoint, set 18 ins. in the ground, with mound of earth and stone, T.2-3626

Thence N.73°11' W.

1496.40 To Cor. No. 3.

A redwood post 4 ft. long 4 ins. sq., with a nail at corner point, set 18 Ins. in the ground with mound of earth and stone, T.3-3626

Thence N.O'34' E.

298. Bed of ary gulch 10 ft. wide, runs westerly.

312.48 To West end center.

A redwood post 4 ft. long 4 ins. sq., with a nail at center point, set 18 ins. in the ground, with a mound of earth and stone, scribed W.E.C. TANGO 3626

226.57 Intersect line between sections 13 and 24 T. 20 N., R.21

W.G.& S.R. M. at N. 89°25'30" W. 1799.37 ft. from the

to the corner to

sections 13-14-23 &24

624.96 To Cor. No. 4

Identical with S.W. Cor. Denver city lode, unsurveyed. A redwood post 4 ft. long 4 ins. sq. with a nail at corner point, set 18 ins. in the ground, with mound of earth and stone, scribed T.4-3626,

Thence S.73°11' E.

1066.86 Intersect line between sections 13 & 24 T.20N. R.21 W. at N. 89°25'30" W. 775.13 ft. from the 4 Cor. and S.89° 25'30" E. 1875.07 ft. from the corner to sections 13-14 -23 and 24

To Cor. No.1 the place of beginning. 1496.40

GOOD HOPE lode.

Beginning at Cor. No.1

On line 1-2 Tango lode of this survey, at S.0°34' W. 140. ft. from Cor. No.1

A redwood post 4 ft. long 4 ins. sq. with a nail at corner point, set 18 ins. in the ground, with a mound of earth and stone, scribed G.H.1-3626. Whence :-The 4 Cor. between sections 13 and 24 T. 20N., R. 21 W. G.and S.R. M. bears N.54°55'40" E. 446.34 ft.

Thence S. 76°08'E.

Bed of dry gulch 10 ft. wide, runs northwesterly. 640.

To Cor. No. 2 1421.63

> Identical with Cor. No. 4 Della lode, of this survey. A redwood post 4 ft. long 4 ins. sq., with a nail at Cor. point., set 18 ins. in the ground with a mound of earth and stone, scribed G.H.2- D.4 - 3626

> > Thence S. 0°34' W.

To East end center 302. Identical with West end center Della lode of this survey A redwood post 4 ft. long 4 ins sq., a nail at center point, set 18 ins. in the ground with a mound of earth and stone, scribed E.E.C. GoodHope-W.E.C. Della-3626

To Cor. No. 3 604.

20 .12 \$8,038 . 10 Ta - 7.7

Identical with Cor. No. 3 Della lode of this survey. A redwood post 4 ft. long 4 ins. sq., a nail at Corner point, set 18 ins, in the ground with mound of earth and stone, scribed G.H.3, - D.3, -3626. Whence :- .

The N.E. Cor. Four Peaks lode, unsurveyed, claimant unknown, bears N.62°10' W. 324.70 ft. . !

Thence N.76°08' W.

291.84 Intersect Easterly side line Four Peaks lode, unsurveyed at S.2°40' E. 81.75 ft. from the N.E. Cor. and N.2°40' W. 1418.25 ft. from the S. E. Cor.

Intersect north end line Four Peaks lode, unsurveyed, 546.19 at S.85°08' W. 244.02 ft. from the N. E. Cor. and N.85° 08' E. 355.98 ft. from the N. W. Cor.

Bed of dry gulch, 10 ft. wide, runs northeasterly. 800. 1421.63 To Cor. No.4

> A redwood post 4 ft. long 4 ins. sq., a nail at corner point, set 18 ins. in the ground with mound of earth and stone, scribed G.H.4,-3626

> > Thence N. O° 34' E.

Cor. No. 2 Tango lode, of this survey. 119.04

302. West end center

> On line 1-2 Tango lode of this survey A redwood post 4 ft. long 4 ins. sq., a nail at center point, set 18 ins! in the ground with mound of earth and stone, scribed W.E.C. GOOD HOPE 3626

431.52 East end center Tango lode, of this survey To Cor. No.1, the place of beginning. 604.

DELLA lode.

Beginning at Cor. No.1

A redwood post 4 ft. long 4 ins. sq., a nail at corner point, set 18 ins. in the ground with mound of earth & and stone, scribed D.1.3626 Whence :-The Cor. to sections 13 - 24 - 18 and 19 T. 20 N., R. 20 and 21 W. G.& S.R. M. bears N. 19° 20' E. 442.83 ft. The S. W. Cor. W.R. Hearst lode, unsurveyed, claimant

Services that I have been been

unknown, bears S. 8°57' W. 160.20 ft.

Thence S.0° 34! W.

30. Bed of dry gulch 20 ft. wide, runs northeasterly.

140.34 Intersect south end line W.R.Hearst lode, unsurveyed, at N.52°43' E., 29.58 ft. from the S.W.Cor. and S.52° 43' W. 570.42 ft. from the S.E. Cor. also, intersect the north end line Jupiter lode, unsurveyed, claimant unknown, at N.52°43' E. 34.08 ft. from the N.W. Cor. and

S.52°43' W. 574.92 ft. from the N.E. Cor.

185.74 Intersect westerly side line Jupiter lode, unsurveyed, at S. 47°08' E. 36.38 ft. from the N.W. Cor. and N.47° 08' W. 1463.22 ft. from the S. W. Cor.

302. To East end center.

A redwood post 4 ft. ling 4 ins. sq., a nail at center point, set 18 ins. in the ground with mound of earth and stone, scribed E.E. C. DEILA 3626

A redwood post 4 ft., long 4 ins. sq., a nail at corner point, set 18 ins. in the ground with mound of earth and stone, scribed D.2-3626

Thence S. 83°40' W.

187. Bed of dry gulch 10 ft. wide, runs northeasterly.

olaimant unknown, at S.5°00' W. 163.47 ft. from the N.

E. Cor. and N. 5° 00' E. 1336.55 ft. from the S. E. Cor. Intersect west side line Aurora No.1 lode, unsurveyed,

N. 5° 90° F., 1216.28 ft. from S.W. Cor., and at, S. 5° 00° W. 283.72 ft. from the M.W.Cor. which bears

N.85°00' W. 600 ft. from the N.E. Cor.

1491.60 To Cor. No. 3

996.63

Identical with Cor. No. 3 Good Hope lode, of this survey, hereinbefore described; Whence:

The N. W. Cor. Aurora No. 1 lode, unsurveyed, bears
N.56°52' E. 617.00 ft.

Thence N. O° 34' E.

302. To the Test end center.

Identical with the East end center Good Hope lode, of this survey, hereinbefore described.

604. To Cor. No. 4

Identical with Cor. No. 2 Good Hope lode, of this survey, hereinbefore described.

Thence N. 83°40' E.

383. Bed of dry gulch 8 ft. wide, runs northerly.

1329.36 Intersect westerly side line W.R.Hearst lode, unsurveyed, at N.44°10' W. 195.66 ft. from the S. W. Cor. and

S.44°10' E. 629.94 ft. from the N.W. Cor.

1491.60 , To Cor. No.1 , the place of beginning.

Variation at all corners 15 ° East
No bearing objects were available in this survey.

All corners of this survey are identical with the respective locations as found marked upon the ground.

LODE LIMES

As near as can be determined from present developments the veins of the several lodes embraced in this survey extend from their respective discovery points as follows to wit:-

TANGO lode,

300.ft. S.73°11' E. and 1196.40 ft. N.73°11' W. GOOD HOPE lode,

200.ft. S.76°08' E. and 1221.63 ft. N. 76° 08' W. DELLA lode, .

845.ft. S.83°40' W. and 646.60 ft. N.83°40' E.

AREA

Total area Tango lode.

Total area Good Hope lode,

area in conflict with

Four Peaks lode, unsurveyed

Total area Della lode,

area in conflict with

Aurora No.1 lode, unsurveyed,

0.289 "

20.611 acres

19.183 "

3.080 √ "

7

6

W. R. Hearst lode, unsurveyed 0.325 Acres Jupiter Lode, unsurveyed . 0.014 "

LOCATION

This survey is located in the S. W. & Sec. 13, and the N. 2 of Sec. 24 T. 20 N., R. 21 W.G.& S.R. M.

ADJOINING CLAIMS

. The adjoining and conflicting lode claims to this. survey are as follows :-

On the North.

Denver City lode, unsurveyed, claimant unknown. South Parallel lode, unsurveyed, claimant unknown. W.R. Hearst lode, unsurveyed, claimant unknown. On the South .

Four Peaks and Aurora No.1 lodes, unsurveyed, claimant unknown.

On the Bast .

J.R. Hearst and Jupiter lodes, unsurveyed, claimant unknown .

EXPENDITURE OF FIVE HUMDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each lode of this survey, by the claimant or its grantors, is not less than five hundred dollars, for each lode, and that said improvements consist of :- :

On the TANGO lode.

The discovery cut, the mouth of which is on the lode No. L line, at N.73°11' W. 300 ft. from the East end center 5 ft. wide ,runs S.75°ll' E. 10 ft. to a 13 ft. face, on a quartz vein in andesite.

Value \$100.00

A shaft which is on the lode line at N.73°11' W. 244 ft. No. 2 from the East end center, 4 x 7 ft. 60. ft. deep , on a quartz vein in andesite.

Value \$ 720.00

. No.3. A cut the mouth of which bears from 'Cor. No.1 S.39°50'
.W. 200 ft. 5 ft. wide runs S. 47°30' W. 20 ft. to 10 ft.
face, at face of cut a tunnel 4½ x 6½ ft. runs S.47°30'
W. 115 ft. to face, at face of tunnel a drift 4x6 ft.
runs N.48° W. 15 ft. to face and a drift 4x6 ft. runs
S. 48° E. to face on a quartz vein.

Value of cut , Tunnel and drifts, \$2160.00

No.4 A cut the mouth of which bears from Cor. No.1 S.39°05. W.

360.ft. 5 ft. wide, runs S. 54°E. 21 ft. to a 12 ft.

face, on a quartz and spar vein.

. ' Value \$100.00

On the Good Hope lode.

No.1 The discovery cut the mouth of which is on the lode line, at N.76°08'W. 200 ft. from the east end center 8 ft. wide, runs S75°E.18 ft. to a 12 ft. face, on a quartz vein in abdesite.

Value \$100.00

No.2 A shaft which is on the lode line, at N.76°08'W. 250.ft from the east end center, 4 x 6 ft. 40 ft. deep on a quartz and spar vein.

Value \$500.00

No.3

A cut the mouth of which bears from Cor. No.2 S.16°W.
230. ft. 4 ft. wide, runs S.77°W. 12 ft. to an 8 ft.
face, on a quartz and spar vein.

Value \$ 70.00

A cut the mouth of which bears from Cor. No.2 S.4°45'W.
213 ft. 5 ft. wide, runs S.77°N. 22 ft. to a 10 ft.
face, on a quartz and spar vein.

Value \$ 100.00

A shaft which bears from Cor. No.2 N.86°15' W. 535ft.

4 x 6 ft. 40 ft. deep in mineralized andesite quartz
and spar.

Value \$500.00

On the Della lode.

No.1 The discovery cut the face of which is on the lode line

at S.83°40'W. 646.60 ft. from the east end center, 6 ft. wide, 15 ft. face runs N.86°E. 19 ft. to mouth,

At face of cut a Tunnel 4 x 6½ ft. runs S.86°W. 61.ft.

to face, and at face of cut an incline shaft 4 x 6 ft.

37 ft. deep, dip 70° to the North, all on a quartz vein in andesite.

Value of cut, tunnel and shaft \$1350.00

A shaft which bears from Cor. No.4 S.68°25'E. 440.ft.

4 x 7 ft. 80 ft. deep timbered.

. Value \$1200.00

No.3 A shaft which bears from Wor. No. 4 S.7°30'E. 208 ft. 4 x 8 ft. 9 ft. deep, on a quartz vein.

Value \$100.00

No.4 A cut the mouth of which bears from Cor. No.1 S.76°W.

583. ft. 5 ft. wide, runs S.72°W.22 ft. to a 10 ft.

face.

Value \$100.00

OTHER IMPROVEMENTS

INSTRUMENT

This survey was made with a C.L.Berger and Sons, No.2 Transit, The coureas were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT

All lines and ties in this survey were run upon the ground and the courses and distances found to be as herein given.

The corner to sections 13-14 - 23-24 T.20 M. R.21 W. G.and S.R. M. is an Iron pipe 2 ins. in dia., with a brass cap. properly set and marked.

The Cor., between sections 13 and 24 T.20 N., R.21. W. G. and S.R. M. is a l in. iron pipe with a brass cap properly set and marked.

The corner to sections 13 - 24 - 18 and 19 T.20 N.,

No'. 2

R. 20 and 21 W. G.and S.R. M. is a 2 in. iron pipe with a brass cap properly set and marked.

The Four Peaks, Aurora No.1, W.R. Hearst and Jupiter lodes, unsurveyed,

all corners and end centers are makked by a stone set in the ground, properly marked and a mound of stone along side.

Note: -

The disagreement between these field notes and the location certificates are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed	by EDWARD L. HAFF
United States Mineral Surveyor, to assist in running	ng, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	the survey of the mining claim of
Tango Gold Mining Co.	DENCLOPMENT COMMANY.
known as the Tango , Good Hope, and	
and showing the respective capacities in which they a	
Ge	OO.S. Cummings, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS O	F ASSISTANTS.
T. Geo. S. Cummings	
, do so	
Edward L. Haff , United States Miner	
the boundaries of the mining claim of	
known as the Tango, Good Hope and Del	la lodes
represented in the foregoing field notes as having been	
direction; and that said survey has been in all respects	
and correctly executed, and the corner and boundary mor	numents established according to law and the instruc-
tions furnished by the United States Surveyor-General for	or_Arizona.
M. M.	Af Curring , Chainman.
0.534	, Chainman.
	Axman.
	, Flagman,
Subscribed and sworn to by the abo	ve-named persons before me this 274
day of MIDA 9	, 19 / 9
My Communación o aperes.	MATENG
day of MMDs 9 My Communa on saperes. Apr 2320 1923	Holesy Rushic
· / · · · · · · · · · · · · · · · · · ·	C-1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, EDWARD L. HAFF	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of	f instructions received from the United States
Surveyor General for ARIZONA	, dated
SEPT. 11 \$ 1919	, I have, in strict conformity to the laws of the
United States, the official regulations an	d instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining
Claim of TANGO GOLD MINING Co	2.
	, known as the
TANGO , GOOD HOPE AND DEL	LA LODES
situate in SAN FRANCISCO	Mining District,
Монауе	County, ARIZONA, in Sections
13 & 24 , Township No. 20 N. , R	ange No. 21 W. G AND S.R. M.
and designated as Survey No. 362	6 as represented
	tely show the boundaries of said mining claim
	ne ground, and described in the attached copy
of the location certificate, which was rece	eived by me from the Surveyor General with
said instructions, and that all the corners	of said survey have been established and per-
	w, official regulations and instructions there-
under; and I do further solemnly swear	that the foregoing are the true and original
field notes of said survey and my repor	t therein, and that the labor expended and
improvements made upon said mining cla	im by claimant orgrantors
are as therein fully stated, and that the	character, extent, location, and itemized value
thereof are specified therein with particul	arity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of expenditures upon any other claim.	this claim has been included in the estimate
The production of the producti	
	6 1 1
	Column Stable
	O. S. Mineral Surveyor.
Subscribed and sworn to by the said	EDWARD L. HAFF
	A NOTARY PUBLIC IN AND FOR
	1-ZONA this 27
day of SEPT., 19 1	
My Commune on Experience Capel 23 to 1923	26N Long
Upel 2310 1922	Motor Poo.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
FEB 1 0 1920 , 191_
I, U. S. Surveyor-General for DISTRICT OF ARIZONA,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
TANGO COLD MINING CO.,
known as the TANGO, GOOD HOPE, and DELLA LODES,
situate in
Mining District, MOHAVE County, ARIZONA,
in Sections 13 & 24 , Township No. 20 N. , Range No. 21 W. G&SRB&M , and
designated as Survey No
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor 1
or for each of ments made upon said mining claim by claimant. or its grantors, and that said improvements
consist of eight cuts, 2 tunnels, and six shafts, Value \$7100.00.
and that no portion of said labor or improvements has been been been been been been been bee
and that no portion of said labor or improvements has been included in the estimate of expenditures apon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix.
is correct and in conformity with the foregoing Field Notes.
Frank P. Trott.
United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ar	rizona,	
		FEB 1 0 19	20 , 191
I, U. S. Surveyor-Gener	al for DISTRICT	OF ARIZONA,	
do hereby certify that the fo	regoing and hereto attache	ed Field Notes and Retur	n of the Survey of the
Mining Claim of			
	TANGO GOL	D MINING CO	
			, known as the
	TANGO, GOOD HOP	E, and DELLA LOI	es,
situate in	SAN F	RANCISCO	mining district,
монауе	County,		ARIZONA,
in Sections 13 and 24,	, Township No20	N. Range No.	21 W., G. and
S. R. M. , design			
executed by Edw	ard L. Haff	, Т	Jnited States Mineral
Surveyor, Sept. 2	4 - 27	, 1919, under 1	ny instructions dated
Sept. 11	, 191. 9 ., have b	een critically examined a	nd the necessary cor-
rections and explanations ma	de, and the said Field No	tes and Return, and the	Survey they describe,
are hereby approved. A true	e copy of the copy of the l	ocation certificate filed l	by the applicant for
survey is included in the field	l notes.		
	J.	in De	rox

6-3824

U. S. Surveyor-General for Arizona.